

Safety Data Sheet

Revision Date: 28-Jan-2021 Revision Number: 5

1. Identification

Product Name: Product Code:

Ultralec P 700851

Synonyms: Use of the Substance / Preparation: 8030-76-0 Food Ingredient.

Supplier: Emergency response telephone number: Archer Daniels Midland Company Chemtrec 1-800-424-9300 (CCN 1635)

4666 Faries Parkway
Decatur, IL 62526, USA

Telephone Number: (+1) 217-424-5200

2. Hazard(s) identification

Emergency Overview

May form combustible dust concentrations in air (during processing and handling). Product dust may cause mild, mechanical irritation. Contains soy. May produce an allergic reaction.

AppearancePhysical StateOdorYellow to TanPowder / GranulesCharacteristic

This product IS classified as hazardous according to 29 CFR 1910.1200 (known as HCS 2012), amended to conform to the United Nations' Globally Harmonized System of Classification and Labeling of Chemicals (GHS). Depending on the intended use, this product is classified as hazardous according to the criteria contained in the Hazardous Products Regulations (SOR/2015-17), also known as WHMIS 2015.

NOTE: Certain products covered under other Canadian legislation, including but not limited to cosmetics, devices, drugs or food (as defined in the Food and Drugs Act), pest control products (as defined in the Pest Control Products Act), consumer products (as defined in the Canada Consumer Product Safety Act), and Hazardous waste (being a hazardous product that is sold for recycling or recovery and is intended for disposal), are NOT subject to the label and SDS requirements of the Hazardous Products Regulations (SOR/2015-17), also known as WHMIS 2015. As supplied for use in food, an SDS and WHMIS compliant labeling are NOT required for this product. Since Canadian employers must still provide education and training on health effects, safe use, and storage, and in the interest of providing relevant product information to our customers, this SDS is being provided on a voluntary basis.

provided on a voluntary basis.	
OSHA Defined Hazard(s)	Combustible Dust
HPR Defined Hazard(s)	Combustible Dust

Label Elements

NOTE: While label elements are provided within this SDS, under 29 CFR 1910.1200 (b)(5), products already subject to the labeling requirements of other specified federal acts, may be exempt from OSHA labeling.

requirements of other openine reactar acts, may be exempt from early traceing.					
Signal Word:	Warning				
Hazard Statement(s):	May form combustible dust concentrations in air.				

3. Composition/information on ingredients

Description

8002-43-5 is equivalent to 8030-76-0

4. First-aid measures

Description of first aid measures

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids.

Skin Contact Wash off with warm water and soap.

Inhalation Move to fresh air. Call a doctor immediately if allergic signs, particularly in the respiratory tract, are observed.

Ingestion Rinse mouth. Drink plenty of water. Consult a physician if necessary.

General Advice Contains soy. May produce an allergic reaction.

Most important symptoms and affects, both acute and delayed

Eyes Dust may cause mechanical irritation to eyes resulting in redness or watering.

Skin Product dust may cause mild, mechanical irritation.

Inhalation Dust may cause irritation of respiratory tract. See section 8 of this sheet for exposure limits pertaining to nuisance dust or "particulates not otherwise regulated".

Ingestion May produce an allergic reaction. Health injuries are not known or expected under normal use.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Special forms of treatment and immediate medical attention are not specified. Treat Symptomatically.

5. Fire-fighting measures

Flammable Properties

Fine dust dispersed in air may ignite. As with most organic solids, combustion is possible at elevated temperatures or by contact with an ignition source. Risk of ignition followed by flame propagation or secondary explosions should be prevented by avoiding accumulation of dust, e.g. on floors and ledges.

Extinguishing media

Suitable Extinguishing Media Dry chemical. Carbon dioxide (CO₂). Foam. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Avoid using an extinguishing method, such as a hose stream, that will cause dust to become suspended in the air.

Special hazards arising from the substance or mixture

Hazardous Combustion Products Thermal decomposition can lead to release of irritating gases and vapors, Acrolein, Carbon

monoxide (CO), Carbon dioxide (CO₂), Nitrogen oxides (NOx), Oxides of phosphorous.

Specific Hazards Arising from the

Chemical

None known.

Sensitivity to mechanical impact

No information available. Yes. (as dust).

Sensitivity to static discharge

Advice for fire-fighters

Protective Equipment and Precautions for Firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health 0
Flammability 1

Stability and Reactivity 0
Physical hazard None known



6. Accidental release measures

Personal Precautions, Protective Equipment, and Emergency Procedures

Ensure adequate ventilation. Avoid dust formation. Use personal protective equipment.

Environmental Precautions

Local authorities should be advised if significant spillages cannot be contained.

Methods and Materials for Containment and Cleaning Up

Shovel or sweep up. Keep in suitable, closed containers for disposal.

7. Handling and storage

Handling

Handle in accordance with good industrial hygiene and safety practice. Ensure adequate ventilation. Avoid dust formation in confined areas. Fine dust dispersed in air may ignite. Refer to NFPA 61, "Standard for the Prevention of Fires and Dust Explosions in Agricultural and Food Processing Facilities".

Storage

Store at tempertures between 15-25° C or 60-77° F. To maintain product quality, do not store in heat or direct sunlight. Keep containers dry and tightly closed to avoid moisture absorption and contamination.

8. Exposure controls/Personal protection

Exposure Limits

Where exposure limits have not been established for specific components of this material, please observe the OSHA and ACGIH established limits for particulates not otherwise classified (PNOC). OSHA PEL: [15 mg/m³ (total dust) 8-hr TWA], [5 mg/m³ (respirable) 8-hr TWA]. ACGIH TLV: [10 mg/m³ (inhalable) 8-hr TWA], [3 mg/m³ (respirable) 8-hr TWA].

Biological Limit Values

No biological limit values have been listed for the component(s) of this product.

Appropriate Engineering Controls General Hygiene Considerations Ensure adequate ventilation, especially in confined areas.

Handle in accordance with good industrial hygiene and safety practice.

Personal Protective Equipment

Eye/face Protection.

If exposed to airborne dust, appropriate safety glasses with side-shields or safety goggles

are recommended.

Skin and Body Protection Respiratory Protection

Protective clothing and gloves may be worn to reduce the potential of mechanical irritation. If exposed to airborne dust, use appropriate NIOSH approved (or equivalent) respiratory

protection.



Physical and chemical properties

AppearanceYellow to TanPhysical StatePowder / GranulesOdorCharacteristic

Odor Threshold No information available pH No information available

Flash Point Not applicable

Autoignition Temperature No information available

Boiling point Not applicable

Melting/Freezing PointNo information availableDecomposition temperatureNo information availableOxidizing PropertiesNo information available

Water Solubility Insoluble

Evaporation RateNot applicableVapor PressureNot applicableVapor DensityNot applicable

Specific Gravity / Relative Density 0.41 Viscosity (kinematic) N/A

Partition Coefficient No information available

(n-octanol/water)

Explosive Properties Pmax = 5.78 bargKst = 48 bar m/s

10. Stability and reactivity

Stability Stable under normal conditions.

Possibility of Hazardous Reactions Hazardous polymerization does not occur.

Conditions to Avoid Avoid conditions that generate dust. Heat, flames and sparks.

Incompatible Materials No materials to be especially mentioned.

Hazardous Decomposition Products Thermal decomposition may lead to release of. Acrolein. Carbon monoxide (CO). Carbon dioxide (CO₂). Oxides of phosphorous. Nitrogen oxides (NOx).

11. Toxicological information

Information on toxicological effects

Acute toxicity	Based on available data, the classification criteria are not met.				
Skin corrosion/irritation	Based on available data, not, or only slightly irritating.				
Serious eye damage/eye irritation	on Based on available data, no evidence of serious eye damage / irritation.				
Respiratory or skin sensitisation	Based on available data, not expected to be a skin or respiratory sensitiser. May cause sensitization of susceptible persons.				
Germ cell mutagenicity	Not classified.				
Carcinogenicity	No evidence of carcinogenicity.				
Reproductive toxicity	Not classified.				
STOT - single exposure	No evidence of toxicity.				
STOT - repeated exposure	No evidence of toxicity.				
Aspiration hazard	Based on available data, no known aspiration hazard.				

Potential health effects

Eyes Dust may cause mechanical irritation to eyes resulting in redness or watering.

Skin Product dust may cause mild, mechanical irritation.

Inhalation Dust may cause irritation of respiratory tract. See section 8 of this sheet for exposure limits

pertaining to nuisance dust or "particulates not otherwise regulated".

Ingestion May produce an allergic reaction. Health injuries are not known or expected under normal

use.

12. Ecological information

Ecotoxicity

Not classified for aquatic toxicity.

Persistence/Degradability

Mobility
PBT and vPvB assessment
Other adverse effects

Biodegradable. Insoluble in water. No information available.

Nothing specific known.

13. Disposal considerations

Whenever possible, as rules and regulations allow, please recycle or manage materials to minimize waste.

Waste Disposal Methods Dispose of in compliance with the laws and regulations pertaining to this product in your

jurisdiction.

14. Transport information

Domestic transport regulations (USA)

DOT Not regulated

Domestic transport regulations (Canada)

TDG Not regulated

Domestic transport regulations (Mexico)

MEX Not regulated

International transport regulations

ICAO Not regulated
IATA Not regulated
IMDG/IMO Not regulated

15. Regulatory information

International Inventories

The components of this product are reported in the following inventories:

Chemical Name	TSCA	DSL	NDSL	ICL	EINECS	ELINCS	AICS
Lecithin	Yes	Yes	No	No	Yes 232-307-2	No	Yes

Chemical Name	ENCS ISHL	CHINA	PICCS	KECL	Taiwan	Turkey	NZIoC
Lecithin	No	Yes	Yes	Yes Annex 1 (KE-21956)	Yes	No	Yes

USA

Federal Regulations

Ozone Depleting Substances:

No Class I or Class II material is known to be used in the manufacture of, or contained in, this product.

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product is not known to contain any chemicals which are subject to the reporting requirements of the Act or regulations contained in 40 CFR 372.

CERCLA/SARA 103-302

Sections 103-302 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product is not known to contain any chemicals which are subject to the reporting requirements of the Act or regulations contained in 40 CFR 103-302.

SARA 311/312 Hazardous Categorization

Refer to the OSHA hazard classification(s) provided in section 2 of this SDS.

State Regulations

California Proposition 65

This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would require a warning under the statute.

State Right-to-Know

No known components subject to "Right-To-Know" legislation in the following States.

Chemical Name	Weight %	Massachusetts	Minnesota	New Jersey	Pennsylvania
Lecithin	100	No	No	No	No

Canada

(NPRI) Canadian National Pollutant Release Inventory

No known component is listed on NPRI.

16. Other information

Prepared By: ADM - Product Regulatory Affairs

Revision Date: 28-Jan-2021

Revision Number:

Reason for revision: Initial SDS.

Abbreviations and acronyms

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

ACGIH TLV - American Conference of Governmental Industrial Hygienists Threshold Limit Values

CAS - Chemical Abstract Service

Ceiling - Ceiling Limit Value: Concentrations that should never be exceeded at any given time (instantaneous)

Delisted - Substances Delisted from Report on Carcinogens

DNEL - Derived No Effect Level

DOT - U.S. Department of Transportation

GHS - Globally Harmonized System of Classification and Labelling of Chemicals

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

IARC - International Agency for Research on Cancer

IDLH - Immediately Dangerous to Life or Health

Known - Known Carcinogen

LC50 - Lethal concentration that produces fatalities in 50% of a given test population

LD50 - Median lethal dose of a given test population

NFPA - National Fire Protection Association

NIOSH - National Institute of Occupational Safety and Health

NOAEL - No Observed Adverse Effect Level

NTP - National Toxicology Program

OECD - Organisation for Economic Co-operation and Development

OSHA - Occupational Safety & Health Administration

OSHA PEL - Occupational Safety and Health Administration Permissible Exposure Limits

PNEC - Predicted No-Effect Concentration

Present - Carcinogen or potential carcinogen to be identified under OSHA's Hazard Communication Standard

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

Skin notation - Potential for cutaneous absorbtion

STEL - Short Term Exposure Limit: Concentrations that should not be exceeded except for short periods of time (usually 15-minutes)

STOT - Specific Target Organ Toxicity

STV - Short Term Value (same as STEL)

TSCA - Toxic Substances Control Act, Section 8(b) Inventory (USA)

TWA - Time Weighted Average: Average concentration that should not be exceeded during a work day (usually 8-hours)

Under Consideration - Under Consideration by the National Toxicology Program

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of sheet