# SAFETY DATA SHEET



1. Identification

**Product identifier** MALTRIN QD® M440, M440 IP, M440 NF, M500, M500 NF, M500 IP, M500 NF IP, M580,

M580 IP, M580 NF, M580 NF IP, M585, M585 IP

Other means of identification

9050-36-6 **CAS** number Recommended use Not available. Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name **Grain Processing Corporation** 

**Address** P.O. Box 349

1600 Oregon Street

Muscatine, Iowa 52761 USA

Telephone For Other Information, call: (563) 264-4265 (M-F 8am-5pm)

> 24-hour Assistance: (563) 264-4304

www.grainprocessing.com Website

Not available. E-mail

24-hour CHEMTREC US **Emergency phone number** 1-800-424-9300 1-703-527-3887

24-hour CHEMTREC

International

2. Hazard(s) identification

Not classified. Physical hazards **Health hazards** Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards Combustible dust

Label elements

**Hazard symbol** None. Warning Signal word

**Hazard statement** May form combustible dust concentrations in air.

**Precautionary statement** 

Prevent dust accumulation to minimize explosion hazard. Keep away from heat/sparks/open Prevention

flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and

receiving equipment. Observe good industrial hygiene practices.

Response Take off contaminated clothing and wash before reuse. In case of fire: Use appropriate media to

extinguish.

Store away from incompatible materials. Storage

Dispose of waste and residues in accordance with local authority requirements. **Disposal** 

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

## 3. Composition/information on ingredients

### **Substances**

Chemical name	Common name and synonyms	CAS number	%
Maltodextrin		9050-36-6	100

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

**Composition comments** Product is GRAS for human consumption 21 CFR 184.1444.

Material name: MALTRIN QD® M440, M440 IP, M440 NF, M500, M500 NF, M500 IP, M500 NF IP, M580, M580 IP, M580 NF

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Rinse skin with water/shower. Get medical attention if irritation develops and persists. Skin contact

Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Dusts may irritate the respiratory tract, skin and eyes.

No adverse effects due to ingestion are expected. Ingestion

Most important

symptoms/effects, acute and

delaved

Indication of immediate medical attention and special treatment needed

Treat symptomatically.

**General information** If you feel unwell, seek medical advice (show the label where possible).

# 5. Fire-fighting measures

Suitable extinguishing media Apply extinguishing media carefully to avoid creating airborne dust. Use water spray to prevent

dust-air mixtures. Avoid high pressure media which could cause the formation of a potentially

explosible dust-air mixture.

Unsuitable extinguishing

media

the chemical

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from Explosion hazard: Avoid generating dust; fine dust dispersed in air in sufficient concentrations and in the presence of an ignition source is a potential dust explosion hazard. During fire, gases

hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do Fire fighting so without risk. equipment/instructions

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

Product becomes a combustible dust when finely divided and suspended in air. Keep away from sources of ignition, sparks, and open flames. Use only in well-ventilated areas. Provide adequate

dust control.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Use only non-sparking tools. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Take precautionary measures against static discharge. Use only non-sparking tools. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Collect dust using a vacuum cleaner equipped with HEPA filter. This product is miscible in water. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

# **Environmental precautions**

#### 7. Handling and storage

#### Precautions for safe handling

Minimize dust generation and accumulation. Avoid significant deposits of material, especially on horizontal surfaces, which may become airborne and form combustible dust clouds and may contribute to secondary explosions. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Explosion-proof general and local exhaust ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Prevent electrostatic charge build-up by using common bonding and grounding techniques. Keep containers tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

Occupational exposure limits Where exposure limits have not been established for specific components of this material, please

observe the OSHA and ACGIH established limits for particulates not otherwise classified (PNOC). OSHA PEL: [15 mg/m3 (total dust) 8-hr TWA], [5 mg/m3 (respirable) 8-hr TWA]. ACGIH TLV: [10

mg/m3 (inhalable) 8-hr TWA], [3 mg/m3 (respirable) 8-hr TWA]

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Explosion-proof general and local exhaust ventilation. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

If engineering controls do not maintain airborne concentrations below recommended exposure Respiratory protection

> limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a NIOSH/MSHA approved respirator

if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such

as washing after handling the material and before eating, drinking, and/or smoking.

### 9. Physical and chemical properties

**Appearance** Powder. Solid. Physical state **Form** Powder. White. Color Mild. Odor

**Odor threshold** Not available. 4.0-7.0 pН Melting point/freezing point N/A

Initial boiling point and boiling

range

Not available.

N/A

Flash point **Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

(%)

Flammability limit - upper

Not available.

Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available.

Vapor pressure Not available. Not available. Vapor density Relative density Not available.

Solubility(ies)

Solubility (water) Soluble

Material name: MALTRIN QD® M440, M440 IP, M440 NF, M500, M500 NF, M500 IP, M500 NF IP, M580, M580 IP, M580 NF 4010 Version #: 01 Issue date: 05-29-2024

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information Dust explosion properties for M040

Pm (bar) 7.7 dP/dt(bar/s) 458 Kst(bar.m/s) 124

M.I.E.(Cloud)(mJ) 500-1000 M.I.T.(Cloud)(C) 420-430 M.E.C.(g/m3) 160-180

Dust explosion properties for M500

Pm(bar) 8.9 dP/dt(bar/s) 752 Kst(bar.m/s) 204

M.I.E. (Cloud)(mJ) 500-1000 M.I.T.(Cloud)(C) 410-420 M.E.C.(g/m3) 140-160

**Dust explosion properties** 

Pmax 8.7 bar (dust explosion properties for M100)

**dP/dT** 822 bar/s **Kst** 223 bar.m/s

St class 2 Strong explosion.

Minimum explosible 110 - 130 g/m³

concentration (MEC)

Minimum ignition 300 - 500 mJ

energy (MIE) - dust

cloud

**Minimum ignition** 734 - 752 °F (390 - 400 °C)

temperature (MIT) -

dust cloud

Moisture ~5%
VOC EPA
CARB

# 10. Stability and reactivity

**Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials. Minimize dust generation and accumulation.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

Carbon oxides.

### 11. Toxicological information

### Information on likely routes of exposure

InhalationDust may irritate respiratory system.Skin contactDust or powder may irritate the skin.

**Eye contact** Dust may irritate the eyes.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Dusts may irritate the respiratory tract, skin and eyes.

## Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

12. Ecological information

**Ecotoxicity**The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Persistence and degradability** No data is available on the degradability of this substance.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose at licensed waste disposal site. Collect and reclaim or dispose in

sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available.

14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

**US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Material name: MALTRIN QD® M440, M440 IP, M440 NF, M500, M500 NF, M500 IP, M500 NF IP, M580, M580 IP, M580 NF 4010 Version #: 01 Issue date: 05-29-2024

## TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard

Combustible dust

categories

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

Food and Drug Total food additive Administration (FDA) Direct food additive

GRAS food additive

**US** state regulations

**California Proposition 65** 

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

### **International Inventories**

Country(s) or region	Inventory name On i	nventory (yes/no)*	
Australia	Australian Inventory of Chemical Substances (AICS)	Yes	
Canada	Domestic Substances List (DSL)	Yes	
Canada	Non-Domestic Substances List (NDSL)	No	
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes	
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes	
Europe	European List of Notified Chemical Substances (ELINCS)	No	
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No	
Korea	Existing Chemicals List (ECL)	Yes	
New Zealand	New Zealand Inventory	Yes	
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes	
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes	
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes	
+A IIV/-III in the standard of the control of the c			

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

Issue date 05-29-2024

Version # 01

Material name: MALTRIN QD® M440, M440 IP, M440 NF, M500, M500 NF, M500 IP, M500 NF IP, M580, M580 IP, M580 NF

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Further information Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the

Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

HMIS® is a registered trade and service mark of the American Coatings Association

HMIS® ratings Health: 0

Flammability: 2 Physical hazard: 0

NFPA ratings Health: 0

Flammability: 2 Instability: 0

References ACGIH

EPA: AQUIRE database

NLM: Hazardous Substances Data Base

US. IARC Monographs on Occupational Exposures to Chemical Agents

**Disclaimer** The information contained herein is furnished without warranty of any kind. Employers should use

this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. The information in the sheet was written based on the best knowledge and experience currently available. Grain Processing Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the

Processing Corporation cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use.

Material name: MALTRIN QD® M440, M440 IP, M440 NF, M500, M500 NF, M500 IP, M500 NF IP, M580, M580 IP, M580 NF

SDS US

4010 Version #: 01 Issue date: 05-29-2024