



We create chemistry

Certificate of Analysis

BASF Corporation

Please note that the certificates of analysis are also conveniently available on your BASF online portal.

TILLEY CHEMICAL CO INC

2022-06-30

Certificate No 319

501 CHESAPEAKE PARK PLZ

BASF CORPORATION

PO #069699

21220-4203 BALTIMORE

QTY 25

USA

Inspection Certificate 3.1 according to EN 10204

Trilon® NA Food Grade

Material

50276030

Order

0118786020 000021

Delivery

0146648281 000020

Lot

210528ANA

45KG

Lot/Qty

83.000 STA

Purchase order/Customer material

Total

83.000 STA

121597

Manufacturing Location: US, NJ, 08016-4123 BURLINGTON, 109 ELBOW LANE

Characteristic/Method	UOM	Result	Specification
-----------------------	-----	--------	---------------

Appearance		White powder	
Identification (IR)		Pass	
Identification (Chelant)		Pass	
Identification (Na)		Pass	
NTA Content	%	0.001	<=0.100
Assay	Weight %	99.70	99.00-101.00
Lead	mg/kg	< 4.0	<=10.0
pH, 1.0%		4.5	4.3-4.7
pH, 5% aqueous		4.5	4.0-6.0
Calcium Test		Pass	
Loss on Drying	Weight %	9.50	8.70-11.40
Expiration date, shelf life		Jun-06-2026	

Manufacturing Date: Jun-07-2021

THIS CERTIFICATE OF ANALYSIS HAS BEEN PRODUCED ELECTRONICALLY AND IS VALID WITHOUT A SIGNATURE.

The aforementioned data shall constitute the agreed contractual quality of the product at the time of passing of risk. The data are controlled at regular intervals as part of our quality assurance program. Neither these data nor the properties of product specimens shall imply any legally binding guarantee of certain properties or of fitness for a specific purpose. No liability of ours can be derived therefrom.