FUMARIC ACID FINE

SECTION 1:IDENTIFICATION OF THE SUBSTANCE/ MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 PRODUCT IDENTIFIER

- Chemical name Fumaric acid

- REACH Registration Number pending due by 2018

1.2 RELEVANT IDENTIFIED USES OF THE SUBSTANCE AND USES ADVISED AGAINST

Fumaric acid is used in food as food additive and can be used in technical application for production of vinyl acetate copolymers & vinyldene chloride copolymers for paper and & paperboard food packaging and for production of styrene butadiene latex in paints, paper coatings, adhesives, carpet backing and linoleum.

1.3 DETAILS OF THE SUPPLIER

- Company identification

Americas:

Tate & Lyle Ingredients Americas LLC.

2200 E. Eldorado Street Decatur, IL 62521

Europe:

Tate & Lyle Slovakia s.r.o.

Boleraz 114 919 08 boleraz Slovakia

Asia-Pacific: Tate & Lyle

3 Biopolis Drive, #05-11 Synapse

Singapore 138623

1.4 EMERGENCY PHONE NR.

CHEMTREC

Toll-Free: 1-800-424-9300 (USA and Canada)

Non Toll-Free +1-703-527-3887 (Global)

SECTION 2: HAZARDS IDENTIFICATION

2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

According with the version of the Globally Harmonized system of Classification and labeling

Code: 28000204 Effectivity date: 03/12/2015 Revision: 00

Supersedes : Latest Revision : 00

Printed on : 07/17/2017 Page : 1 / *

FUMARIC ACID FINE

adopted in the United States and Regulation 1272/2008/EC [CLP]: Eyes irritant category 2(H319)

2.2 LABEL ELEMENTS



Signal word: Warning

Hazard Statement:

Causes serious eye irritation. H319

Precautionary Statement:

Wash hands thoroughly after handling. P264

Wear eye protection. P280

Precautionary Statement. IF IN EYES: P305

Response:

Rinse cautiously with water for several minutes. P351 Remove contact lenses, if present and easy to do Continue

rinsing. P338

If eye irritation persists: P337
Get medical advice/attention. P313

2.3. OTHER HAZARDS FIRE AND EXPLOSION HAZARD:

May form combustible dust concentrations in air. Possibility of dust explosion. it is recommended that all dust control equipment and material transport systems involved are engineered to prevent conditions contributing to dust explosions. Do not allow dust to accumulate on flat surfaces, on rafters or building structural components. Keep away from all ignition sources including heat, sparks and flame.

SECTION 3:COMPOSITION/INFORMATION OF INGREDIENTS

Code :	28000204	Effectivity date :	03/12/2015	Revision :	00
		Supersedes:		Latest Revision :	00
		Printed on :	07/17/2017	Page :	2/*

TATE & LYLE

Safety Data Sheet

FUMARIC ACID FINE

Fumaric acid - Chemical name - CAS number 110-17-8 - EINECS number 203-743-0 - Index n° "CLP": 607-146-00-X - Synonyms but-2-enedioic acid

Acidulant - Fumaric acid - food additive E 297.

SECTION 4:FIRST AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES

- General advice Seek medical attention if irritation develops after first

aid application

Move people from the exposure to fresh air. - Inhalation

- Skin contact Wash skin with soap and water.

Remove particulates by irrigating with eye wash solution or - Eye contact

clean water, holding eyelids apart.

- Ingestion Wash mouth and flush throat upto the stomach.

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

ROUTE(S) OF ENTRY: Skin Contact; Eye Contact

HUMAN EFFECTS AND SYMPTOMS OF OVEREXPOSURE:

ACUTE SKIN CONTACT: This product is irritating to the skin resulting in reddening, stinging,

ACUTE EYE CONTACT: This product is irritating to the eyes resulting in stinging, reddening,

tearing, and swelling.

CHRONIC EFFECTS OF EXPOSURE: No applicable information was found concerning any adverse chronic health effects from overexposure to this product.

CARCINOGENICITY: The components of this product are not listed by NTP, IARC or regulated as a

carcinogen by OSHA. MEDICAL CONDITIONS

AGGRAVATED BY EXPOSURE: Persons with pre-existing eye or skin disorders may be more susceptible

to the effects of this product.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED.

None Anticipated

SECTION 5: FIRE-FIGHTING MEASURES

Code: 28000204 Effectivity date: 03/12/2015 Revision: 00 Supersedes: Latest Revision: 00

> 3/* Printed on: 07/17/2017 Page:

FUMARIC ACID FINE

5.1 EXTINGUISHING MEDIA

Water spray, dry powder, carbon dioxide or media appropriate for surrounding fire. Use of water jet may cause explosive dust conditions.

5.2 SPECIFIC HAZARDS

FIRE AND EXPLOSION HAZARD: Possibility of dust explosion. It is recommended that all dust control equipment and material transport systems involved are engineered to prevent conditions contributing to dust explosions. Do not allow dust to accumulate on flat surfaces, on rafters or building structural components. Use of water jet may cause explosive dust conditions. SEE NFPA 61, Standard for the prevention of Fire and Dust Explosions in Agricultural and Food Processing Facilities, 2008 or later Edition, and other related standards.

5.3 SPECIFIC PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS Wear self-contained breathing apparatus and full protective gear. Use water spray to cool fire exposed containers.

FLAMMABILITY CLASS (OSHA) Not applicable

HAZARDOUS COMBUSTION PRODUCTS Carbon dioxide and carbon monoxide

SECTION 6:ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS

Use personal protective equipment. Wear eye protection. Avoid contact with skin and eyes.

6.2 ENVIRONMENTAL PRECAUTIONS

Prevent further leakage or spillage if safe to do so. No special environmental precautions required

6.3 METHODS FOR CLEANING UP

Vacuum or sweep spills. Minimize dust generation.

If washing down spilled area is necessary, use copious amounts of water and control runoff.

Follow local, state and federal regulations for product disposal

6.4 REFERENCE TO OTHER SECTIONS

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment

See Section 13 for disposal information

c	code :	28000204	Effectivity date :	03/12/2015	Revision :	00
			Supersedes:		Latest Revision :	00
			Printed on :	07/17/2017	Page :	4 / *

FUMARIC ACID FINE

SECTION 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

See NFPA 61, Standard for the Prevention of Fire and Dust Explosions in Agricultural and Food Processing Facilities, 2008 Edition, and other related standards. Use with adequate ventilation. Minimize dust generation and accumulation; dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are disturbed.

All dust control equipment and material transport systems involved are engineered to prevent conditions contributing to dust explosions and may require explosion relief vents or an explosion suppression system or an oxygen-deficient environment. Bonding and grounding systems may be required.

Dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) should be designed to limit or prevent leakage of dust into the work area.

Do not allow dust to accumulate on flat surfaces, on rafters or building structural components. Routine housekeeping should be instituted to reduce dust accumulation. Use Avoid dispersal of dust in the air; use vacuum or wet sweeping methods. Do not use compressed air to clean surfaces.

Keep away from all ignition sources including heat, sparks, and flame. Where dust accumulations occur use non-sparking tools.

7.2 CONDITIONS OF SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES Store in a cool dry place. Store in a tightly closed container/bag.

The packaging material should have reasonable moisture and air barriers and comply with food regulations.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Exposure limits: Nuisance dust (also called particulate not otherwise regulated (PNOR)).

OSHA PEL: 15 mg/m3 Total dust

5 mg/m3 Respirable dust

ACGIH TLV: 10 mg/m3 Inhalable dust

5 mg/m3 Respirable dust 15 mg/m3 Total dust

 Code :
 28000204
 Effectivity date :
 03/12/2015
 Revision :
 00

 Supersedes :
 Latest Revision :
 00

Printed on: 07/17/2017 Page: 5 / *

FUMARIC ACID FINE

8.2 EXPOSURE CONTROLS

APPROPRIATE ENGINEERING CONTROLS:

Ventilation: See NFPA 61, Standard for the Prevention of Fire and Dust Explosions in Agricultural and Food Processing Facilities, 2008 Edition, and National Fire Protection Association 650, Standard for Pneumatic Conveying Systems for Handling Combustible Materials, 1997 Edition and other related standards. Normal industrial hygiene measures should be sufficient for protection of employees from exposure to dusts. Local and mechanical exhaust is desirable when dumping bags.

APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT:

Eye protection: Safety glasses are recommended. Safety goggles are desirable when dumping bags.

Emergency wash facilities: Eye wash is recommended for conditions where dust generation is likely.

Special protective clothing: Not normally required.

Gloves: Not normally required. Use ordinary work gloves if dust dries skin.

Respirator: NIOSH approved N-95 dust respirator if working in situations that could generate large amounts of airborne dust.

large amounts of amborne dust.

FOR FIREFIGHTING AND OTHER IMMEDIATELY DANGEROUS TO LIFE OR HEALTH CONDITIONS: See section 5.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

- Physical form Powder

- Color White to off-white

- Odor Essentially odorless to very slight sugar odor

- pH (concentration) - Boiling point NA - Flash point NA 287°C - Melting/freezing point - Decomposition temperature NA - Auto-ignition temperature NA NA - Explosion properties - Oxidising properties NA - Vapour pressure NA

- Vapor density 0.62 (Air = 1)

- Relative density NA

Code: 28000204 Effectivity date: 03/12/2015 Revision: 00

Supersedes : Latest Revision : 00

Printed on: 07/17/2017 Page: 6 / *

FUMARIC ACID FINE

- Bulk density Not Established

Specific gravity 1.635Viscosity NA

- Water solubility 0.5% at 20°C

- Solubility (non aqueous) Methyl alcohol: completely miscible

- Partition coefficient In OCTANOL/ WATER (log value): Log Kow: -0.2 to -1.8

- Dissociation constant pKa: 3.13, 4.76 and 6.4 at 25°

- Evaporation rate NA.

9.2 OTHER INFORMATION

SECTION 10: STABILITY AND REACTIVITY

10.1 REACTIVITY Stable

10.2 CHEMICAL STABILITY

Stable under normal conditions.

Polymerization will not occur.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

Not applicable

10.4 CONDITIONS TO AVOID

Practices which produce dust or disperse finely divided dust in air.

See NFPA 61. Standard for the Prevention of Fire and Dust Explosions in Agricultural and Food Processing Facilities, 2008 Edition, and other related standards.

10.5 INCOMPATIBLE MATERIALS

Oxidizing agents, strong acids

10.6 Hazardous decomposition products:

Nothing unusual

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Inhalation
 Ingestion
 ORAL: LD 50 9300 mg/kg bw (rat)
 No effects known or anticipated.

- Skin irritation / corrosion Sustained exposure in a dusty manufacturing environment may

Code: 28000204 Effectivity date: 03/12/2015 Revision: 00

Supersedes: Latest Revision: 00

Printed on: 07/17/2017 Page: 7 / *

FUMARIC ACID FINE

result in mechanical irritation in the creases of the skin, particularly at the fingers, or other drying effects. no

health effects known or anticipated.

Eye irritation Irritating to eyes.Skin sensitisation Not sensitizing

Chronic toxicity
 Genetic toxicity
 Carcinogenicity
 Reprotoxicity
 Not known or anticipated
 Not classifiable as Carcinogen.
 Not known or anticipated

- Specific effects Not applicable

SECTION 12: ECOLOGICAL INFORMATION

12.1 TOXICITY FISH LC=295 mg/l

12.2 PERSISTENCE/DEGRADABILITY Readily biodegradable

12.3 BIOACCUMULATIVE POTENTIAL Log Kow <3, not bioaccumulative

12.4 MOBILITY IN SOIL Not applicable

12.5 BPT, vPvB

The substance does not meet the criteria for PBT or vPvB.

12.6 OTHER ADVERSE EFFECTS None known

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Follow local, state and federal regulations for product disposal. Not a hazardous waste unless contaminated with hazardous products.

SECTION 14: TRANSPORTATION INFORMATION

International regulations (RID/ADR; RTMDR; IMDG; IATA/OACI): Not classified as dangerous for transport.

 Code:
 28000204
 Effectivity date:
 03/12/2015
 Revision:
 00

 Supersedes:
 Latest Revision:
 00

 Printed on:
 07/17/2017
 Page:
 8 / *

FUMARIC ACID FINE

DOT shipping label: Non-hazardous

SECTION 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

According with the version of the Globally Harmonized System of Classification and labeling adopted in the United States and Regulation 1272/2008/EC(CLP): Classified

15.2 CHEMICAL SAFETY ASSESSMENT

US FEDERAL REGULATIONS:

Clean Air Act:

ODS: Not applicable.

SARA (EPCRA) Section 313 (40 C.F.R. § 372.65): Not applicable.

TSCA Status: On TSCA inventory.

STATE REPORTING REQUIREMENTS: California Proposition 65: Not applicable.

SECTION 16: OTHER INFORMATION

See Hazard Communication Guidance for Combustible Dusts, OSHA 3371-08 2009, U.S. Occupational Safety and Health Administration, https://www.osha.gov/Publications/3371combustible-dust.html (accessed 10/8/14)

And

NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for general safe handling and design guidance.

Other classifications of the substance:

TSCA STATUS: On TSCA Inventory.

FDA STATUS: Citrus acid, Anhydrous complies with FDA Regulation 21 C.F.R. § 184.1033;

CALIFORNIA PROPOSITION 65: Not applicable.

HMIS rating: Health: 1 Flammable: 0 Reactivity: 0

(0 = minimal; 1 = slight; 2 = moderate; 3 = serious; 4 = severe)

 Code :
 28000204
 Effectivity date :
 03/12/2015
 Revision :
 00

Supersedes: Latest Revision: 00

Printed on: 07/17/2017 Page: 9 / *

TATE & LYLE

Safety Data Sheet

FUMARIC ACID FINE

Safety Data Sheet according to Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

DISCLAIMER OF LIABILITY

The information in this SDS is collected from reliable sources. However, the information is provided without any warranty, expressed or implied. The conditions or methods of handling, storage, use or disposal of the product might be beyond our control and knowledge. For the avoidance of doubt, we shall in no such circumstances be under any liability in respect of loss, damage or expenses arising from handling, storage, use or disposal of the product by your company and/or your subcontractors. This SDS is only applicable for the product mentioned in the identification chapter and title. If the product is used as a component in another product, this SDS may not be applicable on the composite material.

Code: 28000204 Effectivity date: 03/12/2015 Revision: 00

Supersedes: Latest Revision: 00

Printed on : 07/17/2017 Page : 10 / 10