KALAMA® BENZYLALCOHOL NF/FCC PE



Version Revision Date: SDS Number: Date of last issue: 07/26/2022 1.2 09/28/2023 203000020510 Country / Language: US / EN

SECTION 1. IDENTIFICATION

Product name : KALAMA® BENZYLALCOHOL NF/FCC PE

Product code : 00000000062609620

Manufacturer or supplier's details

Company : LANXESS Corporation

Product Safety & Regulatory Affairs

111 RIDC Park West Drive

Pittsburgh, Pennsylvania 15275-1112

Responsible Department : (800) LANXESS

(412) 809-1000

lanxesshes@lanxess.com

Emergency telephone : CHEMTREC (800) 424-9300 or

(703) 527-3887 (Outside U.S.A) and mention CCN12916.

Lanxess Emergency Phone (800) 410-3063.

Recommended use of the chemical and restrictions on use

Recommended use : Intermediate

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity (Oral) : Category 4

Eye irritation : Category 2A

GHS label elements

Hazard pictograms

 \Diamond

Signal Word : Warning

Hazard Statements : Harmful if swallowed.

Causes serious eye irritation.

1 / 17

KALAMA® BENZYLALCOHOL NF/FCC PE



Version Revision Date: SDS Number: Date of last issue: 07/26/2022 1.2 09/28/2023 203000020510 Country / Language: US / EN

Precautionary Statements : Prevention:

Wash skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear eye protection/ face protection.

Response:

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell. Rinse mouth.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If eye irritation persists: Get medical advice/ attention.

Disposal:

Dispose of contents/ container to an approved waste disposal

plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Substance name : benzyl alcohol

Components

Chemical name	CAS-No.	Concentration (% w/w)
benzyl alcohol	100-51-6	>= 99.8 - <= 100

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4. FIRST AID MEASURES

If inhaled: If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash off with soap and water.

Get medical attention if symptoms occur.

In case of eye contact : Immediately flush eye(s) with plenty of water.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Continue to rinse for at least 20 minutes. Get medical attention if symptoms appear.

If swallowed : Rinse mouth with water.

Do not induce vomiting unless directed to do by medical per-

2 / 17

KALAMA® BENZYLALCOHOL NF/FCC PE



Version Revision Date: SDS Number: Date of last issue: 07/26/2022 1.2 09/28/2023 203000020510 Country / Language: US / EN

sonnel.

If vomiting occurs, the head should be kept low so that vomit

does not enter the lungs.

If unconscious, place in recovery position and get medical

attention immediately.

Never give anything by mouth to an unconscious person.

Maintain open airway.

Most important symptoms and effects, both acute and delayed

Symptoms : Eye: Causes irritation with symptoms of reddening, tearing,

stinging, and swelling.

Acute overexposure to this product may cause dizziness,

headache, drowsiness, malaise, abdominal pain.

Effects : Harmful if swallowed.

Causes serious eye irritation.

Protection of first-aiders : If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

Notes to physician : Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Specific hazards during fire

fighting

Vapors may form explosive mixtures with air.

Vapors may spread long distances and ignite.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion prod- :

ucts

Carbon dioxide (CO2)

Carbon monoxide

Further information : Promptly isolate the scene by removing all persons from the

vicinity of the incident if there is a fire.

No action shall be taken involving any personal risk or without

suitable training.

Special protective equipment :

for fire-fighters

Fire-fighters should wear appropriate protective equipment

and self-contained breathing apparatus (SCBA) with a full

face-piece operated in positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- : No action shall be taken involving any personal risk or without

3 / 17

KALAMA® BENZYLALCOHOL NF/FCC PE



Version Revision Date: SDS Number: Date of last issue: 07/26/2022 1.2 09/28/2023 203000020510 Country / Language: US / EN

tive equipment and emer-

suitable training.

gency procedures

Put on appropriate personal protection equipment. Do not touch or walk through spilled material.

Evacuate unnecessary personnel.

Keep unnecessary and unprotected personnel from entering.

Provide adequate ventilation. Do not breathe vapors, aerosols.

Beware of vapors accumulating to form explosive concentra-

tions. Vapors can accumulate in low areas.

Environmental precautions

Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up

Stop leak if safe to do so.

Move containers from spill area.

Wash spillages into an effluent treatment plant or proceed as

follows

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13).

Dispose of wastes in an approved waste disposal facility. Do not allow into the sewerage system, surface waters or

groundwater or into the soil.

Contaminated absorbent material may pose the same hazard

as the spilled product.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Avoid inhalation, ingestion and contact with skin and eyes.

Use only with adequate ventilation.

Remove contaminated clothing and protective equipment be-

fore entering eating areas.

Workers should wash hands and face before eating, drinking

and smoking.

Put on appropriate personal protection equipment.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Conditions for safe storage : S

Store contents under nitrogen.

Store in accordance with local regulations.

Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible

materials (see Section 10) and food and drink. Keep containers sealed until ready for use.

Containers that have been opened must be carefully resealed

and kept upright to prevent leakage.

4 / 17

KALAMA® BENZYLALCOHOL NF/FCC PE



Version Revision Date: SDS Number: Date of last issue: 07/26/2022 1.2 09/28/2023 203000020510 Country / Language: US / EN

Do not store in unlabeled containers.

Use appropriate container to avoid environmental contamina-

tion

Empty containers retain residue and can be dangerous.

Do not reuse container.

Solvent vapors are heavier than air and may spread along

floors.

Further information on stor-

age stability

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Good general ventilation should be sufficient to control work-

er exposure to airborne contaminants.

Personal protective equipment

Respiratory protection : Respirator selection must be based on known or anticipated

exposure levels, the hazards of the product and the safe

working limits of the selected respirator.

NIOSH approved, air-purifying organic vapor respirator.

Hand protection

Material : Butyl rubber - IIR

Break through time : >= 8 h
Glove thickness : >= 0.5 mm
Wearing time : < 60 min

Material : Fluorinated rubber - FKM

Break through time : >= 8 h
Glove thickness : >= 0.4 mm
Wearing time : < 60 min

Eye protection : Chemical resistant goggles must be worn.

Faceshield may be necessary in operations with splash potential but cannot be used in place of chemical safety gog-

gles.

Skin and body protection : Wear suitable protective clothing.

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : Wash hands, forearms and face thoroughly after handling

5 / 17

chemical products, before eating, smoking and using the

KALAMA® BENZYLALCOHOL NF/FCC PE



Version 1.2

Revision Date: 09/28/2023

SDS Number: 203000020510 Date of last issue: 07/26/2022 Country / Language: US / EN

lavatory and at the end of the working period.

Appropriate techniques should be used to remove potentially

contaminated clothing.

Wash contaminated clothing before reusing.

Ensure that eyewash stations and safety showers are close

to the workstation location.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state liquid

Color colorless

Odor slightly aromatic

Odor Threshold No data available

No data available рΗ

Melting point/range 4.3 - 4.5 °F / -15.4 - -15.3 °C

Boiling point/boiling range : 401 °F / 205 °C

(1,013 hPa)

Flash point : 210 - 212 °F / 99 - 100 °C

Method: closed cup

Evaporation rate < 0.01

Flammability (solid, gas) Not applicable

Self-ignition 817 °F / 436 °C

Upper explosion limit / Upper

flammability limit

13 %(V)

Lower explosion limit / Lower : 1.3 %(V)

flammability limit

Vapor pressure 0.07 hPa (68 °F / 20 °C)

Relative vapor density 3.7

(Air = 1.0)

Relative density No data available

Density 1.045 g/cm3 (68 °F / 20 °C)

6 / 17

KALAMA® BENZYLALCOHOL NF/FCC PE



Version Revision Date: SDS Number: Date of last issue: 07/26/2022 1.2 09/28/2023 203000020510 Country / Language: US / EN

Solubility(ies)

Water solubility : 40 g/l (77 °F / 25 °C)

Partition coefficient: n-

octanol/water

: log Pow: 1.05 (68 °F / 20 °C)

Ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : 5.8 - 8 mPa.s

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Surface tension : 39 mN/m, 1 g/l, $68 ^{\circ}\text{F} / 20 ^{\circ}\text{C}$

Molecular weight : ca. 108.15 g/mol

Particle size : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No specific test data related to reactivity available for this

product or its ingredients.

Chemical stability : The product is chemically stable.

Stable under recommended storage conditions.

Possibility of hazardous reac-

tions

Under normal conditions of storage and use, hazardous reac-

tions will not occur.

Conditions to avoid : Exposure to air.

Exposure to moisture. Heat, flames and sparks.

Incompatible materials : Strong acids and oxidizing agents

Iron Aluminum

Print Date: 10/06/2023

7 / 17

KALAMA® BENZYLALCOHOL NF/FCC PE



Version Revision Date: SDS Number: Date of last issue: 07/26/2022 1.2 09/28/2023 203000020510 Country / Language: US / EN

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,622 mg/kg

Method: Calculation method

Components:

benzyl alcohol:

Acute oral toxicity : LD50 (Rat, male): 1,620 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 4.178 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

GLP: yes

Assessment: The substance or mixture has no acute inhala-

tion toxicity

Remarks: Highest producible concentration.

Dosage caused no mortality

Skin corrosion/irritation

Not classified based on available information.

Components:

benzyl alcohol:

Species : Rabbit Exposure time : 4 h

Method : OECD Test Guideline 404

GLP : yes

Remarks : Mild skin irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

benzyl alcohol:

Species : Rabbit

Result : Irritation to eyes, reversing within 21 days

Exposure time : 24 h

Method : OECD Test Guideline 405

Print Date: 10/06/2023

8 / 17

KALAMA® BENZYLALCOHOL NF/FCC PE



Version Revision Date: SDS Number: Date of last issue: 07/26/2022 1.2 09/28/2023 203000020510 Country / Language: US / EN

GLP : yes

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

benzyl alcohol:

Routes of exposure : Skin contact

Species : Mouse

Method : OECD Test Guideline 429

Result : Did not cause sensitization on laboratory animals.

GLP : yes

Germ cell mutagenicity

Not classified based on available information.

Components:

benzyl alcohol:

Genotoxicity in vitro : Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: positive GLP: yes

Test system: mouse lymphoma cells

Metabolic activation: with metabolic activation

Method: OECD Test Guideline 476

Result: negative

GLP: yes

Test system: mouse lymphoma cells

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 476

Result: positive GLP: yes

Test system: Chinese hamster ovary cells Metabolic activation: without metabolic activation

Method: OECD Test Guideline 473

Result: negative

Test system: Chinese hamster ovary cells

KALAMA® BENZYLALCOHOL NF/FCC PE



Version Revision Date: SDS Number: Date of last issue: 07/26/2022 1.2 09/28/2023 203000020510 Country / Language: US / EN

Metabolic activation: with metabolic activation

Method: OECD Test Guideline 473

Result: positive

Genotoxicity in vivo : Species: Mouse (male)

Cell type: Bone marrow

Application Route: Intraperitoneal Method: OECD Test Guideline 474

Result: negative

Species: Drosophila melanogaster (vinegar fly)

Method: OECD Test Guideline 477

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

benzyl alcohol:

Species : Rat, male and female

Application Route : Oral Exposure time : 103 weeks

Method : OECD Test Guideline 451

Result : negative GLP : yes

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

benzyl alcohol:

Effects on fertility : Species: Rat, male and female

Application Route: Oral

Duration of Single Treatment: 91 d Frequency of Treatment: 5 days/week

General Toxicity Parent: NOAEL: 400 mg/kg body weight

Fertility: NOAEL: 800 mg/kg body weight

GLP: yes

10 / 17

KALAMA® BENZYLALCOHOL NF/FCC PE



Version 1.2

Revision Date: 09/28/2023

SDS Number: 203000020510

Date of last issue: 07/26/2022 Country / Language: US / EN

Species: Mouse, male and female

Application Route: Oral

Duration of Single Treatment: 91 d Frequency of Treatment: 5 days/week

General Toxicity Parent: NOAEL: 200 mg/kg body weight

Fertility: NOAEL: 800 mg/kg body weight

GLP: yes

Species: Rat, male and female Application Route: Inhalation Duration of Single Treatment: 28 d Frequency of Treatment: 5 days/week

General Toxicity Parent: NOAEC: 1,072 mg/m³

Fertility: NOAEL: 1,072 mg/m³ Method: OECD Test Guideline 412

GLP: yes

Effects on fetal development : Species: Mouse

Application Route: Oral

Duration of Single Treatment: 7 d

General Toxicity Maternal: LOAEL: 750 mg/kg body weight Developmental Toxicity: LOAEL: 750 mg/kg body weight

GLP: yes

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

benzyl alcohol:

Species : Rat, male and female

NOAEL : 400 mg/kg Application Route : Oral Exposure time : 721 d

Number of exposures : 5 days/week

Method : OECD Test Guideline 451

GLP : yes

Remarks : Chronic toxicity

Species : Rat, male and female

NOAEC : 1072 mg/m3
Application Route : Inhalation
Test atmosphere : dust/mist
Exposure time : 28 d

Print Date: 10/06/2023

11 / 17

KALAMA® BENZYLALCOHOL NF/FCC PE



Version Revision Date: SDS Number: Date of last issue: 07/26/2022 1.2 09/28/2023 203000020510 Country / Language: US / EN

Number of exposures : 6 hours/day

Method : OECD Test Guideline 412

GLP : yes

Remarks : Subacute toxicity

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l

End point: mortality Exposure time: 96 h

Method: EPA OPP 72-1 (Fish Acute Toxicity Test)

GLP: no

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 230 mg/l

End point: Immobilization Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aguatic

plants

EC50 (Pseudokirchneriella subcapitata (microalgae)): 770

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

NOEC (Pseudokirchneriella subcapitata (microalgae)): 310

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): 51 mg/l

End point: Reproduction Exposure time: 21 d

Method: OECD Test Guideline 211

GLP: yes

Toxicity to microorganisms : EC50: 390 mg/l

Exposure time: 24 h Method: ISO 8192

GLP: no

12 / 17

KALAMA® BENZYLALCOHOL NF/FCC PE



Version Revision Date: SDS Number: Date of last issue: 07/26/2022 203000020510 1.2 09/28/2023 Country / Language: US / EN

Persistence and degradability

Components:

benzyl alcohol:

Biodegradability aerobic

> Result: Readily biodegradable. Biodegradation: 92 - 96 %

Exposure time: 14 d

Method: OECD Test Guideline 301C

Bioaccumulative potential

Components:

benzyl alcohol:

Bioaccumulation : Bioconcentration factor (BCF): 1.37

Partition coefficient: n-

log Pow: 1.05 octanol/water Method: measured

Mobility in soil

Components:

benzyl alcohol:

Distribution among environ-

mental compartments

: Koc: 15.7

Other adverse effects

Product:

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

RCRA - Resource Conserva- : tion and Recovery Authoriza-

tion Act

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material contain-

ing the product or derived from the product should be classi-

fied as a hazardous waste. (40 CFR 261.20-24)

13 / 17

KALAMA® BENZYLALCOHOL NF/FCC PE



Version Revision Date: SDS Number: Date of last issue: 07/26/2022 1.2 09/28/2023 203000020510 Country / Language: US / EN

Waste from residues : The generation of waste should be avoided or minimized

wherever possible.

This material and its container must be disposed of in a safe

way.

Empty containers retain product residue; observe all precau-

tions for product.

Avoid dispersal of spilled material and runoff and contact with

soil, waterways, drains and sewers.

Waste disposal should be in accordance with existing federal,

state, provincial and/or local environmental controls.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

Hazard and Handling Notes.

Not dangerous cargo Irritating to the eyes.

Keep dry.

Keep away from acids and oxidizing agents

Keep separated from foodstuffs

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Acute toxicity (any route of exposure)

Serious eye damage or eye irritation

KALAMA® BENZYLALCOHOL NF/FCC PE



Version Revision Date: SDS Number: Date of last issue: 07/26/2022 1.2 09/28/2023 203000020510 Country / Language: US / EN

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

benzyl alcohol 100-51-6 >= 99.8 - <= 100 benzene 71-43-2 < 0.001

Pennsylvania Right To Know

benzyl alcohol 100-51-6 >= 99.8 - <= 100 benzoic acid 65-85-0 < 0.1

California Prop. 65

WARNING: This product can expose you to chemicals including benzene, which is/are known to the State of California to cause cancer, and

toluene, benzene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

TSCA inventory

TSCA : All substances listed as active on the TSCA inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

KALAMA® BENZYLALCOHOL NF/FCC PE




Version 1.2

Revision Date: 09/28/2023

SDS Number: 203000020510

Date of last issue: 07/26/2022 Country / Language: US / EN

NFPA 704:



Special hazard

HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance: ELx - Loading rate associated with x% response: EmS - Emergency Schedule: ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice: HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration: ICAO - International Civil Aviation Organization: IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level: NOELR - No Observable Effect Loading Rate: NTP - National Toxicology Program: NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments

KALAMA® BENZYLALCOHOL NF/FCC PE



Version Revision Date: SDS Number: Date of last issue: 07/26/2022 1.2 09/28/2023 203000020510 Country / Language: US / EN

and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date : 09/28/2023

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered to be a guidance for processing and does not contain any warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. It is the responsibility of the recipient of the product to ensure that any proprietary rights and existing laws and legislation are observed.

Relevant changes from the previous version are marked on the left side of the Safety Data Sheet with a black double bar in appropriate places.