

Revision date : 2014/06/05 Version: 2.0 Page: 1/10 (30042359/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Potassium Metabisulfite food grade (E224)

Recommended use of the chemical and restriction on use

Recommended use*: inorganic reducing agents; initial product for chemical syntheses; Chemical

* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

<u>Company:</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

 Molecular formula:
 K(2)S(2)O(5)

 Synonyms:
 Dipotassium disulphite; potassium metabisulfite
 Use: Chemical;

 Food additive

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Eye Dam./Irrit.	1	Serious eye damage/eye irritation
Aquatic Acute	3	Hazardous to the aquatic environment - acute

Label elements

Pictogram:

Revision date : 2014/06/05 Version: 2.0 Page: 2/10 (30042359/SDS_GEN_US/EN)



Signal Word: Danger Hazard Statement: H318 Causes serious eye damage. H402 Harmful to aquatic life. Precautionary Statements (Prevention): Wear eye/face protection. P280 P273 Avoid release to the environment. Precautionary Statements (Response): P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor/physician. Precautionary Statements (Disposal): P501 Dispose of contents/container to hazardous or special waste collection point.

Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

Labeling of special preparations (GHS): Contact with acids liberates toxic gas.

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Emergency overview

WARNING:
RISK OF SERIOUS DAMAGE TO EYES.
May cause sensitization by skin contact.
May cause sensitization by inhalation.
INGESTION MAY CAUSE GASTRIC DISTURBANCES.
Harmful to aquatic organisms.
May be harmful if swallowed.
Avoid contact with the skin, eyes and clothing.
Avoid inhalation of dusts.
Use with local exhaust ventilation.
Wear a NIOSH-certified (or equivalent) particulate respirator.
Wear chemical resistant protective gloves.
Wear protective clothing.
Eye wash fountains and safety showers must be easily accessible.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Revision date : 2014/06/05 Version: 2.0 Page: 3/10 (30042359/SDS_GEN_US/EN)

CAS Number	Content (W/W)	Chemical name
16731-55-8	>= 75.0 - <= 100.0	dipotassium disulphite
	%	
7681-57-4	>= 1.0 - <= 3.0 %	Sodium metabisulfite

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number	Content (W/W)	Chemical name
16731-55-8	>= 80.0 - 100.0 %	dipotassium disulphite
7681-57-4	1.0 - <= 5.0 %	Sodium metabisulfite

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

If difficulties occur after dust has been inhaled, remove to fresh air and seek medical attention. After inhalation of decomposition products: Immediately administer a corticosteroid from a controlled/metered dose inhaler.

If on skin:

Wash thoroughly with soap and water.

If irritation develops, seek medical attention.

If in eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Rinse mouth and then drink plenty of water. If symptoms persist, seek medical advice.

Most important symptoms and effects, both acute and delayed

Symptoms: allergic symptoms Hazards: Risk of sulfur dioxide formation by reaction with gastric acid after swallowing.

Indication of any immediate medical attention and special treatment needed

Note to physician Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: foam

Revision date : 2014/06/05 Version: 2.0

Page: 4/10 (30042359/SDS_GEN_US/EN)

Special hazards arising from the substance or mixture

Hazards during fire-fighting: Sulphur dioxide,

The substances/groups of substances mentioned can be released if the product is involved in a fire.

Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Contaminated extinguishing water must be disposed of in accordance with official regulations. In case of fire and/or explosion do not breathe fumes.

Impact Sensitivity:

Remarks:

Based on the chemical structure there is no shock-sensitivity.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Ensure adequate ventilation. Avoid dust formation. Avoid contact with eyes.

Environmental precautions

Do not discharge into drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

Methods and material for containment and cleaning up

Sweep/shovel up. Correctly dispose of recovered product immediately.

Avoid raising dust.

7. Handling and Storage

Precautions for safe handling

Use only in well-ventilated areas. Avoid dust formation.

Protection against fire and explosion: The substance/product is non-combustible. No special precautions necessary.

Conditions for safe storage, including any incompatibilities

Segregate from acids and acid forming substances. Segregate from oxidants. Do not store with: Sodium nitrate, sodium nitrite, sodium sulfide

Further information on storage conditions: Keep in a cool place. Keep container dry. Keep container in a well-ventilated place.

8. Exposure Controls/Personal Protection

Advice on system design:

Provide local exhaust ventilation to control dust.

Revision date : 2014/06/05 Version: 2.0 Page: 5/10 (30042359/SDS_GEN_US/EN)

Personal protective equipment

Respiratory protection:

Wear a NIOSH-certified acid gas/organic vapour/particulate respirator. Observe OSHA regulations for respirator use (29 CFR 1910.134).

Hand protection:

Wear chemical resistant protective gloves., Consult with glove manufacturer for testing data.

Eye protection:

Tightly fitting safety goggles (chemical goggles).

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures:

Eye wash fountains and safety showers must be easily accessible. Wear protective clothing as necessary to prevent contact. Hands and/or face should be washed before breaks and at the end of the shift. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form: Odour: Colour:	powder faint odour, of sulfur dioxide white	
pH value:	3.8 - 4.6	(5 %(m))
decomposition point:	150 °C	
Density:	2.34 g/cm3	
Relative density:	2.3	(20 °C)
Bulk density:	1,100 - 1,300	
	kg/m3	
Partitioning coefficient n-		not applicable
octanol/water (log Pow):		
Thermal decomposition:	> 150 °C	
	To avoid thermal dec	composition, do not overheat.
Viscosity, dynamic:		not applicable
Solubility in water:	approx. 450 g/l	(20 °C) hydrolyzes
Solubility in water:	approx. 450 g/l	(20 °C) hydrolyzes

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Reacts with nitrites. Reacts with nitrates. Reacts with oxidizing agents.

Conditions to avoid

Avoid humidity.

Revision date : 2014/06/05 Version: 2.0 Page: 6/10 (30042359/SDS_GEN_US/EN)

Incompatible materials

acids, oxidizing agents, nitrites, nitrates, sulfides

Hazardous decomposition products

Decomposition products: Hazardous decomposition products: Sulphur dioxide

Thermal decomposition: > 150 °C To avoid thermal decomposition, do not overheat.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of low toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

<u>Oral</u> Type of value: LD50 Species: rat Value: approx. 2,300 mg/kg (BASF-Test)

Inhalation

Type of value: LC50 Species: rat (male/female) Value: > 5.5 mg/l (OECD Guideline 403) Exposure time: 4 h Tested as dust aerosol. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Dermal

Type of value: LD50 Species: rat (male/female) Value: > 2,000 mg/kg (OECD Guideline 402) The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Assessment other acute effects

Assessment of STOT single: Based on the available information there is no specific target organ toxicity to be expected after a

Irritation / corrosion

single exposure.

Assessment of irritating effects: Risk of serious damage to eyes. Ingestion may cause irritation of the gastrointestinal tract.

Revision date : 2014/06/05 Version: 2.0 Page: 7/10 (30042359/SDS_GEN_US/EN)

<u>Skin</u>

Species: rabbit Result: non-irritant Method: BASF-Test

<u>Eye</u>

Species: rabbit Result: Risk of serious damage to eyes. Method: OECD Guideline 405

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. A sensitizing effect on particularly sensitive individuals cannot be excluded.

Mouse Local Lymph Node Assay (LLNA) Species: mouse Result: Non-sensitizing. Method: OECD Guideline 429 The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aspiration Hazard not applicable

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: No known chronic effects.

Genetic toxicity

Assessment of mutagenicity: No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not mutagenic in a test with mammals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Carcinogenicity

Assessment of carcinogenicity: In long-term animal studies in which the substance was given in the drinking water in high doses, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Teratogenicity

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Symptoms of Exposure

allergic symptoms

12. Ecological Information

Revision date : 2014/06/05 Version: 2.0 Page: 8/10 (30042359/SDS_GEN_US/EN)

Toxicity

Aquatic toxicity Assessment of aquatic toxicity: Acutely harmful for aquatic organisms.

Toxicity to fish

LC50 (96 h) 460 - 1000 mg/l, Brachydanio rerio (OECD 203; ISO 7346; 84/449/EEC, C.1, static) Nominal concentration.

Aquatic invertebrates

EC50 (48 h) 89 mg/l, Daphnia magna (Directive 79/831/EEC, static) Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Aquatic plants

EC50 (72 h) 43.8 mg/l (growth rate), Scenedesmus subspicatus (Algal growth inhibition test, static) Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to fish

No observed effect concentration (34 d) >= 316 mg/l, Brachydanio rerio (OECD Guideline 210, Flow through.)

The details of the toxic effect relate to the nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Chronic toxicity to aquatic invertebrates

No observed effect concentration (21 d) > 10 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

<u>Assessment of terrestrial toxicity</u> Study does not need to be conducted.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

OECD Guideline 209 aquatic

activated sludge of a predominantly domestic sewage/No observed effect concentration (180 min): >= 1,000 mg/l

Nominal concentration. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Persistence and degradability

<u>Assessment biodegradation and elimination (H2O)</u> Inorganic product which cannot be eliminated from water by biological purification processes. Study scientifically not justified.

Assessment of stability in water

According to structural properties, hydrolysis is not expected/probable. Study scientifically not justified.

Bioaccumulative potential

Assessment bioaccumulation potential

Revision date : 2014/06/05 Version: 2.0 Page: 9/10 (30042359/SDS_GEN_US/EN)

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments The substance will not evaporate into the atmosphere from the water surface. Study scientifically not justified. Adsorption to solid soil phase is not expected. Study scientifically not justified.

Additional information

Sum parameter

Chemical oxygen demand (COD): (calculated) approx. 140 mg/g

Other ecotoxicological advice:

Higher concentrations of the substance may cause a strong chemical oxygen consumption in biological sewage-treatment plants and/or waterways. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. Do not discharge into drains/surface waters/groundwater.

14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

Food TSCA, US released / exempt

Revision date : 2014/06/05 Version: 2.0 Page: 10/10 (30042359/SDS_GEN_US/EN)

EPCRA 311/312 (Haz	ard categories):	Acute;		
State regulations				
<u>State RTK</u> MA, NJ, PA	<u>CAS Number</u> 7681-57-4	<u>Chemical name</u> Sodium metabisulfite		
NFPA Hazard codes: Health : 3 Fire: 0 Reactivity: 0 Special:				
HMIS III rating Health: 3 Flammability: 0 Physical hazard:1				
Assessment of the hazard classes according to UN GHS criteria (most recent version):				
Eye Dam./Irrit. Acute Tox. Aquatic Acute	1 5 (oral) 3	Serious eye damage/eye irritation Acute toxicity Hazardous to the aquatic environment - acute		

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2014/06/05

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET