

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015). Version: 2.0 Revision Date: 07/21/2016 Date of issue: 07/21/2016

SECTION 1: IDENTIFICATION

Product Identifier

Product Form: Mixture

Product Name: Sodium Nitrite, Free-Flowing Grades

Synonyms: Sodium Nitrite, Granular Free-Flowing Food Grade; Sodium Nitrite, Granular Free-Flowing Technical Grade

Intended Use of the Product

Curing salt formulations. Chemical and dye source of nitrous acid. Corrosion inhibitor in antifreeze, paints, oil tanks and pipelines. Oxidizing agent and depolarizer in detinning. Phosphate coatings. Gold plating baths. Heat transfer salt. Polymer inhibitor for synthetic rubber. Nitrous acid source for accelerators, retarders and antioxidants / antiozonants. Foam rubber blowing agent. Wastewater treatment odor control and bacteria activity inhibitor.

Name, Address, and Telephone of the Responsible Party

Manufacturer CHEMTRADE LOGISTICS INC. 155 Gordon Baker Road Suite 300 Toronto, Ontario M2H 3N5 For SDS Info: (416) 496-5856 www.chemtradelogistics.com

Emergency Telephone Number

Emergency Number :

Canada: CANUTEC +1-613-996-6666 / US: CHEMTREC +1-800-424-9300

Chemtrade Emergency Contact: (866) 416-4404

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night

SECTION 2: HAZARDS IDENTIFICATION

Classification of the Substance or Mixture CHE HE/CA Classification

GHS-US/CA Classification		
Ox. Sol. 2	H272	
Acute Tox. 3 (Oral)	H301	
Eye Irrit. 2A	H319	
Aquatic Acute 1	H400	
Full text of hazard classes and H-statements : see section 16		

Label Elements

GHS-US/CA Labeling

Hazard Pictograms (GHS-US/CA)



Precautionary Statements (GHS-US/CA)

- P264 Wash hands, forearms, and other exposed areas thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P273 Avoid release to the environment.
- P280 Wear protective gloves, protective clothing, and eye protection.
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor.

No smoking.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 - Specific treatment (see section 4 on this SDS).
P330 - Rinse mouth.
P337+P313 - If eye irritation persists: Get medical advice/attention.
P370+P378 - In case of fire: Use appropriate media (see section 5) to extinguish.
P391 - Collect spillage.
P405 - Store locked up.
P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. Exposure of nitrites via ingestion that result in endogenous nitrosation are classified by IARC as a Group 2A - probable human carcinogen. This product is not anticipated to be available for oral exposure which would result in endogenous nitrosation under normal conditions of use or foreseeable emergencies, and is therefore not classified as a carcinogen. Ingestion may cause methemoglobinemia. Initial manifestation of methemoglobinemia is cyanosis, characterized by navy lips, tongue and mucous membranes, with skin color being slate grey. Further manifestation is characterized by headache, weakness, dyspnea, dizziness, stupor, respiratory distress and death due to anoxia. Signs and symptoms of nitrite poisoning include methemoglobinemia, nausea, dizziness, increased heart rate, hypotension, fainting and, possibly shock.

Unknown Acute Toxicity Not available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

M	ixt	ure	

Name	Product Identifier	% *	GHS Ingredient Classification
Sodium nitrite	(CAS No) 7632-00-0	> 98.5	Ox. Sol. 2, H272
			Acute Tox. 3 (Oral), H301
			Eye Irrit. 2A, H319
			Aquatic Acute 1, H400
Sodium nitrate	(CAS No) 7631-99-4	< 0.8	Ox. Sol. 3, H272
			Eye Irrit. 2A, H319
Water	(CAS No) 7732-18-5	< 0.3	Not classified
Disodium carbonate	(CAS No) 497-19-8	< 0.2	Eye Irrit. 2A, H319
Sodium mono- and dimethyl naphthalene	(CAS No) 977052-10-0	< 0.2	Not classified
sulfonate			

Full text of H-phrases: see section 16

*Percentages are listed in weight by weight percentage (w/w%) for liquid and solid ingredients. Gas ingredients are listed in volume by volume percentage (v/v%).

SECTION 4: FIRST AID MEASURES

Description of First-aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Get medical advice/attention. Wash contaminated clothing before reuse.

Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

Ingestion: Do NOT induce vomiting. Rinse mouth. Immediately call a POISON CENTER or doctor.

Most Important Symptoms and Effects Both Acute and Delayed

General: Causes serious eye irritation. Toxic if swallowed.

Inhalation: Prolonged exposure may cause irritation. Respirable dust may be absorbed through the bloodstream and have adverse effects.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Skin Contact: Prolonged exposure may cause skin irritation.

Eye Contact: Causes serious eye irritation. Contact causes severe irritation with redness and swelling of the conjunctiva.

Ingestion: This material is toxic in small amounts orally, and can cause adverse health effects or death. Ingestion may cause methemoglobinemia. Initial manifestation of methemoglobinemia is cyanosis, characterized by navy lips, tongue and mucous membranes, with skin color being slate grey. Further manifestation is characterized by headache, weakness, dyspnea, dizziness, stupor, respiratory distress and death due to anoxia. If ingested, nitrates may be reduced to nitrites by bacteria in the digestive tract. Signs and symptoms of nitrite poisoning include methemoglobinemia, nausea, dizziness, increased heart rate, hypotension, fainting and, possibly shock.

Chronic Symptoms: None known.

Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand. Causes methemoglobinemia – emergency response should treat appropriately, such as by intravenous administration of methylene blue. Depending on the degree of exposure, periodic medical examination may be indicated.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Water spray, fog (flooding amounts).

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire. Any extinguishing media other than water may be ineffective, as this product is its own oxygen source.

Special Hazards Arising From the Substance or Mixture

Fire Hazard: May cause fire or explosion; strong oxidizer.

Explosion Hazard: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries. **Reactivity:** Oxidizer: increases the burning rate of combustible materials. The substance is a strong oxidant and reacts with combustible and reducing materials.

Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers. Remove containers from fire area if this can be done without risk. Do not breathe fumes from fires or vapors from decomposition. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection. **Other Information:** Do not allow run-off from fire fighting to enter drains or water courses.

Reference to Other Sections

Refer to section 9 for flammability properties.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Avoid breathing dust. Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking. Keep away from combustible material. Avoid all contact with skin, eyes, or clothing.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area. Eliminate ignition sources. Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

Methods and Materials for Containment and Cleaning Up

For Containment: Contain solid spills with appropriate barriers and prevent migration and entry into sewers or streams. Use only non-sparking tools.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Recover the product by vacuuming, shoveling or sweeping. Do not take up in combustible material such as: saw dust or cellulosic material. Avoid actions that cause dust to become airborne during clean-up such as dry sweeping or using compressed air. Use HEPA vacuum or thoroughly wet with water to clean-up dust. Use PPE described in Section 8. Contact competent authorities after a spill. Transfer spilled material to a suitable container for disposal.

Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Additional Hazards When Processed: May cause or intensify fire; oxidizer.

Precautions for Safe Handling: Do not handle until all safety precautions have been read and understood. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Keep away from heat, sparks, open flames, hot surfaces, combustible materials, incompatible materials. - No smoking. Handle empty containers with care because they may still present a hazard.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed. Avoid creating or spreading dust.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool and well-ventilated place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Keep in fireproof place. Store locked up. **Incompatible Materials:** Strong acids, strong bases, strong oxidizers. Reducing agents. Water, humidity. Aluminum. Ammonia. Amines. Powdered metals. Cyanides. Combustible materials. Ammonium salts.

Specific End Use(s)

Curing salt formulations. Chemical and dye source of nitrous acid. Corrosion inhibitor in antifreeze, paints, oil tanks and pipelines. Oxidizing agent and depolarizer in detinning. Phosphate coatings. Gold plating baths. Heat transfer salt. Polymer inhibitor for synthetic rubber. Nitrous acid source for accelerators, retarders and antioxidants / antiozonants. Foam rubber blowing agent. Wastewater treatment odor control and bacteria activity inhibitor.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

For substances listed in section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), Canadian provincial governments, or the Mexican government.

Exposure Controls

Appropriate Engineering Controls: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Gas detectors should be used when flammable gases or vapors may be released. Avoid creating or spreading dust. Proper grounding procedures to avoid static electricity should be followed. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection. **Materials for Protective Clothing:** Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.

Eye Protection: Chemical safety goggles.

Skin and Body Protection: Wear suitable protective clothing.

Respiratory Protection: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Environmental Exposure Controls: Avoid release to the environment.

Other Information: When using, do not eat, drink or smoke

Other mormation. when using, do not ea	Other information. When using, do not eat, drink of shoke			
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES				
Information on Basic Physical and Chemical Properties				
Physical State	: Solid			
Appearance	: Pale straw-colored			

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

2013).	
Odor	: Odorless
Odor Threshold	: Not available
рН	: Not available
Evaporation Rate	: Not available
Melting Point	: 271.1 °C (519.98 °F)
Freezing Point	: Not available
Boiling Point	: Not available
Flash Point	: Not available
Auto-ignition Temperature	: Not available
Decomposition Temperature	: Not available
Flammability (solid, gas)	: Not available
Lower Flammable Limit	: Not available
Upper Flammable Limit	: Not available
Vapor Pressure	: Not available
Relative Vapor Density at 20°C	: Not available
Relative Density	: Not available
Specific Gravity	: 2.168
Solubility	: Not available
Partition Coefficient: N-Octanol/Water	: Not available
Viscosity	: Not available

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Oxidizer: increases the burning rate of combustible materials. The substance is a strong oxidant and reacts with combustible and reducing materials.

Chemical Stability: May cause fire or explosion; strong oxidizer.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Direct sunlight, extremely high or low temperatures, ignition sources, combustible materials, incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers. Reducing agents. Water, humidity. Aluminum. Ammonia. Amines. Powdered metals. Cyanides. Combustible materials. Ammonium salts.

Hazardous Decomposition Products: None known.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects - Product

Acute Toxicity (Oral): Oral: Toxic if swallowed.

Acute Toxicity (Dermal): Not classified

Acute Toxicity (Inhalation): Not classified

LD50 and LC50 Data:

Sodium Nitrite, Free-Flowing Grades

ATE US/CA (oral) 86.29 mg/kg body weight	
--	--

Skin Corrosion/Irritation: Not classified

Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation. Respirable dust may be absorbed through the bloodstream and have adverse effects.

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation. Contact causes severe irritation with redness and swelling of the conjunctiva.

Symptoms/Injuries After Ingestion: This material is toxic in small amounts orally, and can cause adverse health effects or death. Ingestion may cause methemoglobinemia. Initial manifestation of methemoglobinemia is cyanosis, characterized by navy lips, tongue and mucous membranes, with skin color being slate grey. Further manifestation is characterized by headache, weakness, dyspnea, dizziness, stupor, respiratory distress and death due to anoxia. If ingested, nitrates may be reduced to nitrites by bacteria in the digestive tract. Signs and symptoms of nitrite poisoning include methemoglobinemia, nausea, dizziness, increased heart rate, hypotension, fainting and, possibly shock.

Chronic Symptoms: None known.

Information on Toxicological Effects - Ingredient(s)

LD50 and LC50 Data:		
Sodium nitrite (7632-00-0)		
LD50 Oral Rat	85 mg/kg	
LC50 Inhalation Rat	5.5 mg/l/4h	
ATE US/CA (vapors)	5.50 mg/l/4h	
ATE US/CA (dust, mist)	5.50 mg/l/4h	
Sodium nitrate (7631-99-4)		
LD50 Oral Rat	> 2000 mg/kg	
Disodium carbonate (497-19-8)		
LD50 Oral Rat	4090 mg/kg	
LC50 Inhalation Rat	2300 mg/m ³ (Exposure time: 2 h)	
ATE US/CA (vapors)	2,300.00 mg/l/4h	
ATE US/CA (dust, mist)	2,300.00 mg/l/4h	
Nitrites (Not applicable)		
IARC Group	2A	
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.	
SECTION 12: ECOLOGICAL INFORMATION		

Toxicity

Ecology - General: Very toxic to aquatic life.

Sodium nitrite (7632-00-0)		
LC50 Fish 1	0.19 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])	
LC50 Fish 2	0.092 - 0.13 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])	
Sodium nitrate (7631-99-4)		
LC50 Fish 1	2000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
LC50 Fish 2	994.4 - 1107 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
Disodium carbonate (497-19-8)		
LC50 Fish 1	300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 Daphnia 1	265 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC50 Fish 2	310 - 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
Persistence and Degradability		
Sodium Nitrite, Free-Flowing Grades		
Persistence and Degradability Not established.		
Sodium nitrate (7631-99-4)		
Persistence and Degradability	Readily biodegradable in water.	
Bioaccumulative Potential		
Sodium Nitrite, Free-Flowing Grades		
Bioaccumulative Potential	Not established.	

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

Sodium nitrite (7632-00-0)		
Log Pow	-3.7 (at 25 °C)	
Sodium nitrate (7631-99-4)		
Log Pow -3.8 (at 25 °C)		
bioaccumulative Potential Not expected to bioaccumulate.		
Disodium carbonate (497-19-8)		
BCF Fish 1 (no bioaccumulation)		
Mobility in Soil Not available		

Other Adverse Effects

Other Information: Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, territorial, provincial, and international regulations

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1 In	Accordance	with DOT
---------	------------	----------

14.1 III Accordance with DOT				
Proper Shipping Name	:	SODIUM NITRITE		
Hazard Class	:	5.1		
Identification Number	:	UN1500		
Label Codes	:	5.1, 6.1		
Packing Group	:	III		
Marine Pollutant	:	Marine pollutant		
ERG Number	:	140		
14.2 In Accordance with IMD	G			
Proper Shipping Name	:	SODIUM NITRITE		
Hazard Class	:	5.1 (6.1)		
Identification Number	:	UN1500		
Label Codes	:	5.1, 6.1		
Packing Group	:	III		
EmS-No. (Fire)	:	F-A		
EmS-No. (Spillage)	:	S-Q		
14.3 In Accordance with IATA	1			
Proper Shipping Name	:	SODIUM NITRITE		
Hazard Class	:	5.1 (6.1)		
Identification Number	:	UN1500		
Label Codes	:	5.1, 6.1		
Packing Group	:	III		
ERG Code (IATA)	:	5P		
14.4 In Accordance with TDG				
Proper Shipping Name	:	SODIUM NITRITE		
Hazard Class	:	5.1		
Identification Number	:	UN1500		
Label Codes	:	5.1, 6.1		
Packing Group	:	III		
Marine Pollutant (TDG)	:	Marine pollutant		









Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

2015).			
SECTION 15: REGULATORY I	NFORMATION		
US Federal Regulations			
Sodium Nitrite, Free-Flowing Gra	ndes		
SARA Section 311/312 Hazard Cl		Fire hazard	
		Immediate (acute) health hazard	
Sodium nitrite (7632-00-0)			
Listed on the United States TSCA	(Toxic Substances Control Act	t) inventory	
Subject to reporting requirement			
EPA TSCA Regulatory Flag		S - S - indicates a substance that is identified in a proposed or final	
		Significant New Uses Rule	
SARA Section 313 - Emission Rep	orting	1.0 %	
Sodium nitrate (7631-99-4)			
Listed on the United States TSCA	(Toxic Substances Control Act	t) inventory	
Disodium carbonate (497-19-8)			
Listed on the United States TSCA	(Toxic Substances Control Act	t) inventory	
Water (7732-18-5)			
Listed on the United States TSCA	(Toxic Substances Control Act	t) inventory	
US State Regulations			
Sodium nitrite (7632-00-0)			
U.S Massachusetts - Right To Kr	now List		
U.S New Jersey - Right to Know	Hazardous Substance List		
U.S Pennsylvania - RTK (Right to	-	ard List	
U.S Pennsylvania - RTK (Right to	o Know) List		
Sodium nitrate (7631-99-4)			
U.S Massachusetts - Right To Kr			
U.S Pennsylvania - RTK (Right to	o Know) List		
Canadian Regulations			
Sodium nitrite (7632-00-0)			
Listed on the Canadian DSL (Dom	estic Substances List)		
Sodium nitrate (7631-99-4)			
Listed on the Canadian DSL (Dom	estic Substances List)		
Disodium carbonate (497-19-8)			
Listed on the Canadian DSL (Dom	estic Substances List)		
Water (7732-18-5)			
Listed on the Canadian DSL (Domestic Substances List)			
SECTION 16: OTHER INFORM	ATION, INCLUDING DA	TE OF PREPARATION OR LAST REVISION	
Revision Date	: 07/21/2016		
Other Information		een prepared in accordance with the SDS requirements of the OSHA	
	Hazard Communication Standard 29 CFR 1910.1200 and Canada's Hazardous Products		
Regulations (HPR).			
Acute Tox. 3 (Oral)	Acute toxicity (oral)	Category 3	
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1		
Eye Irrit. 2A		/eye irritation Category 2A	
Ox. Sol. 2	Oxidizing solids Cate		
Ox. Sol. 3	Oxidizing solids Cate		
H272	May intensify fire; o		
H301	Toxic if swallowed		
H319			

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations And According To The Hazardous Products Regulation (February 11, 2015).

,	
H400	Very toxic to aquatic life
NFPA Health Hazard	: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.
NFPA Fire Hazard	: 0 - Materials that will not burn.
NFPA Reactivity	: 1 - Normally stable, but can become unstable at elevated temperatures and pressures or may react with water with some release of energy, but not violently.
NFPA Specific Hazard	: OX - This denotes an oxidizer, a chemical which can greatly increase the rate of combustion/fire.
HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard
Physical	: 1 Slight Hazard

Handle product with due care and avoid unnecessary contact. This information is supplied under U.S. OSHA'S "Right to Know" (29 CFR 1910.1200) and Canada's WHMIS regulations. Although certain hazards are described herein, we cannot guarantee these are the only hazards that exist. The information contained herein is based on data available to us and is believed to be true and accurate but it is not offered as a product specification. No warranty, expressed or implied, regarding the accuracy of this data, the hazards connected with the use of the product, or the results to be obtained from the use thereof, is made and Chemtrade and its affiliates assume no responsibility. Chemtrade is a member of the CIAC (Chemistry Industry Association of Canada) and adheres to the codes and principles of Responsible Care^m.



Chemtrade NA GHS SDS 2015